



 xbríoofficial

 @xbríoofficial



CATALOGUE
2023

TBR
CHINA

www.xbri.com



ECOPLUS C2

APPLICATION


LIGHT VEHICLES

CONFIGURATION

ALL POSITIONS



APPLICATION MATRIX



The ECOPLUS C2 is a tubeless radial tire developed for use on steer, free-rolling, and moderately driven axles of microbuses and light trucks operating on short and medium distances, including urban areas.

EXCELLENT
MILEAGE
PERFORMANCE

MODERN DESIGN THAT
OFFERS EXCELLENT MILEAGE,
TRACTION CAPACITY, AND
MANEUVERABILITY.

STONE EJECTORS IN THE
CENTRAL GROOVES
PROVIDING LESS STONE
RETENTION AND GREATER
RETREADABILITY

SIZE	PLY RATING	LOAD INDEX	SPEED SYMBOL	OVERAL WIDTH (mm)	TREAD DEPTH (mm)
215/75R17.5	18PR	135/133	J	212	13



ECOWAY

APPLICATION


LIGHT VEHICLES

CONFIGURATION

ALL POSITIONS



APPLICATION MATRIX



The ECOWAY is a tubeless radial tire developed for use on steer, free-rolling, and moderately driven axles of minibuses and light trucks operating on short and medium distances, including urban areas.

EXCELLENT
MILEAGE
PERFORMANCE

MODERN DESIGN THAT
OFFERS EXCELLENT MILEAGE,
TRACTION CAPACITY, AND
MANEUVERABILITY.

STONE EJECTORS IN THE
CENTRAL GROOVES
PROVIDING LESS STONE
RETENTION AND GREATER
RETREADABILITY

SIZE	PLY RATING	LOAD INDEX	SPEED SYMBOL	OVERAL WIDTH (mm)	TREAD DEPTH (mm)
215/75R17.5	16PR	135/133	J	222	12.5



ROBUSTO E2

APPLICATION


LIGHT VEHICLES

CONFIGURATION

TRACTION



APPLICATION MATRIX



ROBUSTO E2 Tractive tire developed especially for light commercial vehicles that require high traction capacity and mileage performance.

EXCLUSIVE DESIGN
FOR TRACTION.

DEVELOPED FOR LIGHT VEHICLES
THAT REQUIRE HIGH TRACTION
DUE TO CARRYING HEAVY LOADS.

HIGH TRACTION
CAPACITY EVEN
ON WET TRACKS.

SIZE	PLY RATING	LOAD INDEX	SPEED SYMBOL	OVERAL WIDTH (mm)	TREAD DEPTH (mm)
215/75R17.5	18PR	135/133	J	222	15



ECOMIX E2

APPLICATION


LIGHT VEHICLES

CONFIGURATION

TRACTION



APPLICATION MATRIX



The ECOMIX E2 is a tubeless radial tire developed for use on steer, free-rolling, and moderately driven axles of minibuses and light trucks operating on short and medium distances, including urban areas.

EXCLUSIVE DESIGN
FOR TRACTION.

DEVELOPED FOR LIGHT VEHICLES
THAT REQUIRE HIGH TRACTION
DUE TO CARRYING HEAVY LOADS.

HIGH TRACTION
CAPACITY EVEN
ON WET TRACKS.

SIZE	PLY RATING	LOAD INDEX	SPEED SYMBOL	OVERAL WIDTH (mm)	TREAD DEPTH (mm)
235/75R17.5	16PR	143/141	J	245	15



ECOCITY A2

APPLICATION


URBAN

CONFIGURATION

ALL POSITIONS



APPLICATION MATRIX



The ECOCITY A2 is a tubeless radial tire developed for use on steer, free-rolling, and moderately driven axles of microbuses and light trucks operating on short and medium distances, including urban areas.

GREATER GROOVE
DEPTH, GREATER
MILEAGE.

PROTECTORS ON THE SIDES,
GREATER RESISTANCE TO RUBBING
AND IMPACTS ON THE PRODUCT.

SIZE	PLY RATING	LOAD INDEX	SPEED SYMBOL	OVERAL WIDTH (mm)	TREAD DEPTH (mm)
235/75R17.5	18PR	143/141	J	233	14.5



ECOPLUS A2



APPLICATION


LIGHT VEHICLES

CONFIGURATION

ALL POSITIONS



APPLICATION MATRIX



The ECOPLUS A2 is a tubeless radial tire developed for use on steer, free-rolling, and moderately driven axles of microbuses and light trucks operating on short and medium distances, including urban areas.

EXCELLENT
MILEAGE
PERFORMANCE

MODERN DESIGN THAT
OFFERS EXCELLENT MILEAGE,
TRACTION CAPACITY, AND
MANEUVERABILITY.

STONE EJECTORS IN THE
CENTRAL GROOVES
PROVIDING LESS STONE
RETENTION AND GREATER
RETREADABILITY

SIZE	PLY RATING	LOAD INDEX	SPEED SYMBOL	OVERAL WIDTH (mm)	TREAD DEPTH (mm)
215/75R17.5	16PR	135/133	J	211	12
235/75R17.5	18PR	143/141	J	233	12.5



ROBUSTO A2

APPLICATION


LIGHT VEHICLES

CONFIGURATION

TRACTION



APPLICATION MATRIX



ROBUST E2 Tractive tire developed especially for light commercial vehicles that require high traction capacity and mileage performance.

EXCLUSIVE DESIGN
FOR TRACTION.

DEVELOPED FOR LIGHT VEHICLES
THAT REQUIRE HIGH TRACTION
DUE TO CARRYING HEAVY LOADS.

HIGH TRACTION
CAPACITY EVEN
ON WET TRACKS.

SIZE	PLY RATING	LOAD INDEX	SPEED SYMBOL	OVERAL WIDTH (mm)	TREAD DEPTH (mm)
215/75R17.5	16PR	135/133	J	211	14
235/75R17.5	18PR	143/141	J	233	14.5



ECOPLUS P1

APPLICATION


LIGHT VEHICLES

CONFIGURATION

ALL POSITIONS



APPLICATION MATRIX



The ECOPLUS P1 is a tubeless radial tire developed for use on steer, free-rolling, and moderately driven axles of microbuses and light trucks operating on short and medium distances, including urban areas.

EXCELLENT
MILEAGE
PERFORMANCE

MODERN DESIGN THAT
OFFERS EXCELLENT MILEAGE,
TRACTION CAPACITY, AND
MANEUVERABILITY.

STONE EJECTORS IN THE
CENTRAL GROOVES
PROVIDING LESS STONE
RETENTION AND GREATER
RETREADABILITY

SIZE	PLY RATING	LOAD INDEX	SPEED SYMBOL	OVERAL WIDTH (mm)	TREAD DEPTH (mm)
215/75R17.5	16PR	126/124	L	211	12.3
235/75R17.5	18PR	143/141	J	233	13
285/70R19.5	18PR	146/144	J	283	15



ECOWAY P1

APPLICATION


LIGHT VEHICLES

CONFIGURATION

ALL POSITIONS



APPLICATION MATRIX



The ECOWAY P1 is a tubeless radial tire developed for use on steer, free-rolling, and moderately driven axles of microbuses and light trucks operating on short and medium distances, including urban areas.

EXCELLENT
MILEAGE
PERFORMANCE

MODERN DESIGN THAT
OFFERS EXCELLENT MILEAGE,
TRACTION CAPACITY, AND
MANEUVERABILITY.

STONE EJECTORS IN THE
CENTRAL GROOVES
PROVIDING LESS STONE
RETENTION AND GREATER
RETREADABILITY

SIZE	PLY RATING	LOAD INDEX	SPEED SYMBOL	OVERAL WIDTH (mm)	TREAD DEPTH (mm)
215/75R17.5	16PR	126/124	L	211	12.3
235/75R17.5	18PR	143/141	J	233	13
285/70R19.5	18PR	150/148	J	283	15



ROBUSTO P1

APPLICATION


LIGHT VEHICLES

CONFIGURATION

TRACTION



APPLICATION MATRIX



ROBUSTO P1 Tractive tire developed especially for light commercial vehicles that require high traction capacity and mileage performance.

EXCLUSIVE DESIGN
FOR TRACTION.

DEVELOPED FOR LIGHT VEHICLES
THAT REQUIRE HIGH TRACTION
DUE TO CARRYING HEAVY LOADS.

HIGH TRACTION
CAPACITY EVEN
ON WET TRACKS.

SIZE	PLY RATING	LOAD INDEX	SPEED SYMBOL	OVERAL WIDTH (mm)	TREAD DEPTH (mm)
215/75R17.5	16PR	126/124	L	211	13
235/75R17.5	18PR	143/141	J	233	13
285/70R19.5	18PR	150/148	J	--	--



XFORZA P1

APPLICATION


LIGHT VEHICLES

CONFIGURATION

TRACTION



APPLICATION MATRIX



XFORZA P1 Tractive tire developed especially for light commercial vehicles that require high traction capacity and mileage performance.

EXCLUSIVE DESIGN
FOR TRACTION.

DEVELOPED FOR LIGHT VEHICLES
THAT REQUIRE HIGH TRACTION
DUE TO CARRYING HEAVY LOADS.

HIGH TRACTION
CAPACITY EVEN
ON WET TRACKS.

SIZE	PLY RATING	LOAD INDEX	SPEED SYMBOL	OVERAL WIDTH (mm)	TREAD DEPTH (mm)
215/75R17.5	16PR	126/124	L	211	15.1
235/75R17.5	18PR	143/141	J	233	13



ROBUSTO B1

APPLICATION


LIGHT VEHICLES

CONFIGURATION

TRACTION



APPLICATION MATRIX



ROBUSTO B1 Tractive tire developed especially for light commercial vehicles that require high traction capacity and mileage performance.

EXCLUSIVE DESIGN
FOR TRACTION.

DEVELOPED FOR LIGHT VEHICLES
THAT REQUIRE HIGH TRACTION
DUE TO CARRYING HEAVY LOADS.

HIGH TRACTION
CAPACITY EVEN
ON WET TRACKS.

SIZE	PLY RATING	LOAD INDEX	SPEED SYMBOL	OVERAL WIDTH (mm)	TREAD DEPTH (mm)
215/75R17.5	16PR	135/133	J	212	14
235/75R17.5	18PR	143/141	J	233	15



ECOPLUS B2

APPLICATION


LIGHT VEHICLES

CONFIGURATION

ALL POSITIONS



APPLICATION MATRIX



The ECOPLUS B2 is a tubeless radial tire developed for use on steer, free-rolling, and moderately driven axles of microbuses and light trucks operating on short and medium distances, including urban areas.

EXCELLENT
MILEAGE
PERFORMANCE

MODERN DESIGN THAT
OFFERS EXCELLENT MILEAGE,
TRACTION CAPACITY, AND
MANEUVERABILITY.

STONE EJECTORS IN THE
CENTRAL GROOVES
PROVIDING LESS STONE
RETENTION AND GREATER
RETREADABILITY

SIZE	PLY RATING	LOAD INDEX	SPEED SYMBOL	OVERAL WIDTH (mm)	TREAD DEPTH (mm)
215/75R17.5	16PR	135/133	J	212	12
235/75R17.5	16PR	143/141	J	233	13